Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard. 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form)
Form Approved
OMB No. 12180072

IDENTITY (As Used on Label and List) CLASSIC CAR WASH			Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.						
Section I – Manufacturer									
Manufacturer's Name			Emergency Telephone Number						
AIKEN CHEMICAL COMPANY			1-800-922-1117; (864) 765-7359						
Address (Number, Street, City, State and Zip Code)			Telephone Number for Information						
P. O. Box 1904			1-800-828-1860						
		Date Prepared: Revision			#				
Greenville, SC 29602			January 7, 2003			New			
12 Shelter Drive, Greer, SC 29650			Signature of Preparer (optional)						
Section II-Hazardous Ingredients/Identity In	nformatio	n							
Hazardous Components (Specific Chemical Identity: Common Name(s)			OSHA PEL A	ACGIH T	ΓLV	NIOSH REL		%	
NONE			NFPA HMIS						
			1-1-0	1-1-0-0	С				
TSCA Information:									
All ingredients of this product are listed	d on the	rs <i>c</i>	'A inventory						
The ingredients of this product are instead	a on the	100	or ran ventory.						
Section III - Physical/Chemical Characterist	tics								
Boiling Point	>200° F		Specific Gravity (H <sub>2</sub> 0 - 1)			1.014			
Vapor Pressure (mm Hg.)	Not		Melting Point		N/D				
vapor ressure (mm rig.)	Determin	ned	Wiching I ome		IN/D				
Vapor Density (AIR=1)	Not	icu	Evaporation Rate (Butyl Acetate=1)			<1.0			
	Determin	ned							
Solubility in Water			pH						
Complete			9.0 – 10.0						
Appearance and Odor									
Clear red liquid with cherry odor.									
Section IV - Fire and Explosion Hazard Dat	ล								
Flash Point (Method Used)	-	Flar	mmable Limits	LEL		UEL			
>200° F (PPMC)		No	t Established	N	.D.		N.D.		
Extinguishing Media									
Carbon dioxide, dry chemical, alcohol foam and water spray.									
Special Fire Fighting Procedures  Fire fighters wear self-contained breathing appearatus with full protective elething									
Fire fighters wear self-contained breathing apparatus with full protective clothing.  Unusual Fire and Explosion Hazards									
Water fog or foam may cause frothing of the product.									
water rog or roam may cause froming of the product.									

Page 2		IDE	NTITY: Classic	Car Wash						
Section V - Reactivity	Data									
Stability	Unstable		Conditions to Avoid							
	Stable	X	Strong oxidizin	g agents.						
Incompatibility (Materials to Avoid										
Strong oxidizing agents.										
Hazardous Decomposition or Byproducts										
Carbon monoxide, c		varioi								
Hazardous Polymerization	May Occur		Conditions to Avoid							
	Will Not Occur	X	Excessive heat & oxidizing agents.							
Section VI - Health Ha	zard Data									
Routes of Entry:	Inhalation?	Eyes	?	Skin?	Ingestion?					
	No		Yes	Yes	Not likely to occur					
Health Hazards (Acute and C	Chronic)				<u>,</u>					
Chronic overexposure: No evidence of adverse effects from available information. For acute overexposure, see SECTION IX.										
Carcinogenicity:	NTP?	LAR	C Monographs?	OSHA F	Regulated?					
	No		No		No					
Signs and Symptoms of Exposure: SEE SECTION IX (Acute Overexposure)										
Medical Conditions Generally Aggravated by Exposure:  Pre-existing skin & respiratory problems										
Emergency and First Aid Procedures										
SEE SECTION IX										
Section VII - Precautions for Safe Handling and Use										
Steps to Be Taken in Case Material is Released or Spilled Stop spill at source. Dike area of spill with soil (sand,clay) to prevent spreading. Remaining liquid may be										
	ontainer or taken up	by an	absorbent mate	rial & shoveled	into salvage containers.					
Waste Disposal Method	C . 1	•.•	11.1 1	1.0 1 1	1					
	ose of in accordance	e with	all local, state	e, and federal re	egulations.					
Precautions to Be Taken in I		oma Da	move chille naon	ently. Ecomo mucfy	realization hit with a stream					
of water.	ery on walkways & 1100	ors. Re	smove spins pron	ipity. Foams profi	isely when hit with a stream					
Other Precautions:										
Protect from freezing. Product will freeze at 32° F. Always use proper eye & skin protection.										
Section VIII - Control Measures										
Respiratory Protection (Specify Type)										
			None							
Ventilation										
Acceptable			N/A							
	Mechanical(General)		Other:							
	N/A				N/A					
<b>Protective Gloves</b>			Eye Pro							
Rubber gloves Splash goggles or safety glasses.										
Other Protective Clothing or Equipment  None Normally Needed										
Work/Hygienic Practices A	Always wash hand &	& face	e before eating	, smoking, or u	sing the restrooms. If					
product is spilled on clothing, wash before reuse.										

# Section IX - Routes and Effects of Overexposure:

# SKIN:

Prolonged or repeated contact can cause irritation, defatting, dermatitis and possible stinging or itching.

#### **EYES:**

May cause watering, redness stinging and irritation; which may result in impairment of vision.

# **INGESTION:**

Accidental ingestion may cause gastrointestinal irritation, nausea, and vomiting.

# **INHALATION:**

The product is not volatile and as a result, inhalation is not seen as a potential hazard.

#### **Emergency and First Aid Procedures:**

#### **SKIN:**

Thoroughly wash all exposed areas with soap & water for at least 15 minutes. If itching and redness persist, seek medical attention.

# **EYES:**

Immediately flush eyes with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally to insure thorough rinsing. If irritation persists, seek medical attention.

# **INGESTION:**

If accidentally swallowed, DO NOT induce vomiting. Give large amounts of water or milk. Seek medical attention immediately.

#### **INHALATION:**

The product is not volatile and as a result, inhalation is not seen as a potential hazard.